

make.different
追求卓越

GLORY

常州冠日电器工具有限公司
Changzhou Glory Industries Co.,Ltd

江苏省常州市武进区湖塘镇马杭东升工业园
Dongsheng Industrial Park,Hutang town,Changzhou,China

Tel :+86-519-8515 7655 / 8168 9922 / 8168 9927

Fax:+86-519-8512 2180

E-mail:info@cn-glory.com

SANDER LAMELLES

企业简介

Changzhou Glory Industries Co., Ltd was established in 2005; it is specialized in flap disc, sanding disc, flap wheel, sanding paper, strip disc, non-woven scouring pad and more products, passed ISO & MPA certifications. The goods mainly used for polishing, cleaning and deburring the surface of metal, wood, stone, plastic, glass, threading and so on in auto, ship, woodwork, instrument, machine industry etc. Our products are exported all over the world, just like: America, Japan, Korea, Brazil, Australia, India, and Europe.

We are engaged in providing high quality goods and sincere service to all customers, mature techniques and strict quality control system makes our products in a leading level. We OEM for several world famous brands and our brand "GLORY" is very famous in China.

Glory is a full of passion and dream team, we will keep pace with the time and continue writing the new pages of GLORY by our diligence and innovations in a pioneering spirit.

常州冠日电器工具有限公司成立于2005年，是一家专业从事于百叶轮，背绒砂布，砂纸，带柄叶轮，黑金刚，工业百洁布等系列产品的生产厂家。公司产品通过ISO9001和MPA等相关认证，产品主要用于汽车，船舶，木工，机械制造等行业的产品表面打磨，抛光处理。目前公司产品远销美国，日本，韩国，巴西，澳大利亚，印度，欧洲等世界各国。

“一万年太久，只争朝夕。”充满激情与梦想的冠日团队将一如既往与时俱进，勤奋踏实，开拓创新，继写冠日辉煌灿烂的新篇章。



目录

ROTARY FLAP WHEEL SANDER
ROUES A LAMELLES
CEPILLO PARA ACADADO
VIPTESLIDER
YELPAZE ZIMPARA

Rotary flap wheel sander roues a lamelles
Cepillo para acabado viflesiber

百叶轮系列 Flap disc 01~10

砂纸砂盘系列 Sanding disc 11~18

带柄页轮 Flap wheel with shaft 19~21

黑金刚 Cleaning strip disc 22~24

砂带 Sanding belt 25~27

钢纸砂盘 Semiflex disc / fiber disc 28

转炬砂碟 Quick change roloc disc 29~31

干叶轮/拉丝轮 Flap wheels 32

砂圈 Cartridge rolls 33

切割片 Cutting disc 34~40

工业百洁布 Non-woven scouring rolls and pads 41~43



尼龙轮 Non-woven flap wheels 44~45

百洁布拉丝轮 Non-woven flap wheels 46

布轮 Cotton buffing wheel 47~48

抛光盘 Sanding pad 49~53

转聚套装 Tool sets 54~56



概况 SITUATION

产品结构
* 百叶片系列
* 拉绒砂盘系列
* 综合类

产品优势
* 进口原料，环保，零气味释放
* 严谨生产，使用安全
* 外观佳
* 尺寸标准
* 货真价实
* 品质优越

生产强项
国外实达标项目：
* 原料质量达标
* 安全转速达标
* 打磨的速度与效率高
* 使用寿命长



SANDER LAMELLES

冠日百叶片系列

rotary flap wheel sander Roues a lamelles
Cepillo para acabado Viftesliber
Yelpaze zimpara

rotary flap wheel sander Roues a lamelles
Cepillo para acabado Viftesliber
Yelpaze zimpara

IMPORT MATERIAL,NO POLLUTION
PRODUCE PRECISE AND USE SAFTY
GOOD OF SIZES
GOOD VALUE FOR MONEY
GOOD OF QUALITY

Glory abrasive flap discs,which are of high
quality coated abrasive cloth purchased from
best domestic and oversea suppliers.

网盖棕刚玉百叶轮 Aluminum oxide flap disc with fiberglass backing

Fiber support allows more pressure to be put on the discs while working.

玻璃纤维载体在使用中可以承受较强的压力。

Main used for:

- * Slightly finer
- * Blemish moval
- * Metal
- * Wood
- * Aluminum

主要适用于：
金属、铝和木材等



Item No.	Dimensions (mm)	Grit	Backing	Abrasive
AG50036F	50*10mm	36	T27	Aluminum Oxide
AG50040F		40		
AG50060F		60		
AG50080F		80		
AG50120F	120	T27/T29		
AG100036F	100*16mm		36	
AG100040F			40	
AG100060F			60	
AG100080F			80	
AG100120F	120			
AG100220F	220			
AG115036F	115*22mm		36	
AG115040F			40	
AG115060F			60	
AG115080F			80	
AG115120F	120			
AG1151220F	220			
AG125036F	125*22mm		36	
AG125040F			40	
AG125060F			60	
AG125080F		80		
AG125120F	120			
AG1251220F	220			
AG150036F	150*22mm	36		
AG150040F		40		
AG150060F		60		
AG150080F		80		
AG1500120F	120			
AG1500220F	220			
AG180040F	180*22mm	40		
AG180060F		60		
AG180080F		80		
AG180120F		120		
AG180220F	220			
AG230040F	230*22mm	40		
AG230060F		60		
AG230080F		80		
AG2300120F		120		
AG230220F	220			

网盖煅烧百叶轮 Calcined aluminium flap disc with fiberglass backing

Fiber support allows more pressure to be put on the discs while working.

玻璃纤维载体在使用中可以承受较强的压力。

Main used for:

- * Slightly finer
- * Blemish moval
- * Metal
- * Wood
- * Aluminum

主要适用于：
金属、铝和木材等
XH have more
sharper than GXK51.
煅烧棕刚玉化
GXK51 磨布锋利。



Item No.	Dimensions (mm)	Grit	Backing	Abrasive
AX50036F	50*10mm	36	T27	Calcined aluminum
AX50040F		40		
AX50060F		60		
AX50080F		80		
AX50120F	120	T27 Backing: 75mm		
AX100040FA	100*16mm		40	
AX100060FA			60	
AX100080FA			80	
AX1000120FA			120	
AX100040F	100*16mm		40	
AX100060F			60	
AX100080F			80	
AX100120F			120	
AX100220F	220			
AX115040F	115*22mm		40	
AX115060F			60	
AX115080F			80	
AX115120F			120	
AX115220F	220			
AX125040F	125*22mm		40	
AX125060F		60		
AX125080F		80		
AX125120F		120		
AX125220F	220			
AX150040F	150*22mm	40		
AX150060F		60		
AX150080F		80		
AX150120F		120		
AX150220F	220			
AX180040F	180*22mm	40		
AX180060F		60		
AX180080F		80		
AX180120F		120		
AX180220F	220			
AX230040F	230*22mm	40		
AX230060F		60		
AX230080F		80		
AX2300120F		120		
AX230220F	220			

网盖陶瓷刚玉百叶轮 Ceramic flap disc with fiberglass backing

Fiber support allows more pressure to be put on the discs while working.

玻璃纤维载体在使用中可以承受较强的压力。

Main used for:

- * Stainless steel
- * Auto
- * Metal
- * Wood
- * Marble

主要适用于：
适用于不锈钢、金属、
冶金、汽车、木材、
大理石等业的打磨抛光。



Item No.	Dimensions (mm)	Grit	Backing	Abrasive
C100040F	100*16mm	40	T27/T29	Ceramic
C100060F		60		
C100080F		80		
C100120F		120		
C115040F	115*22mm	40		
C115060F		60		
C115080F		80		
C115120F		120		
C125040F	125*22mm	40		
C125060F		60		
C125080F		80		
C125120F		120		
C150040F	150*22mm	40		
C150060F		60		
C150080F		80		
C150120F		120		
C180040F	180*22mm	40		
C180060F		60		
C180080F		80		
C180120F		120		
C230040F	230*22mm	40		
C230060F		60		
C230080F		80		
C230120F		120		

网盖双片百叶轮 Dual flap disc (aluminum oxide / calcined aluminum / zirconia / silicon carbide with fiberglass backing)

Fiber support allows more pressure to be put on the discs while working.

玻璃纤维载体在使用中可以承受较强的压力。

双片具有更长的使用寿命。

Main used for:

- * Blending
- * Blemish removal
- * Inox
- * Metal
- * Ferrous metals

主要适用于：
不锈钢、金属、合金和
铁屑。



Item No.	Dimensions (mm)	Grit	Backing	Abrasive
AG100040FD	100*16mm	40	T27/T29	Aluminum oxide / Calcined aluminum / Zirconia / Silicon carbide
AG100060FD		60		
AG100080FD		80		
AG100120FD		120		
AG115040FD	115*22mm	40		
AG115060FD		60		
AG115080FD		80		
AG115120FD		120		
AG125040FD	125*22mm	40		
AG125060FD		60		
AG125080FD		80		
AG125120FD		120		
AG150040FD	150*22mm	40		
AG150060FD		60		
AG150080FD		80		
AG150120FD		120		
AG180040FD	180*22mm	40		
AG180060FD		60		
AG180080FD		80		
AG180120FD		120		
AG230040FD	230*22mm	40		
AG230060FD		60		
AG230080FD		80		
AG230120FD		120		

网盖锆刚玉百叶轮

Zirconia flap disc with fiberglass backing

Fiber support allows more pressure to be put on the discs while working.
玻璃纤维基体在使用中可以承受较强的压力。

Main used for:
* Blending
* Blemish removal
* Inox
* Metal
* Ferrous metals

主要适用于:
不锈钢、金属、合金和铁等。



Item No.	Dimensions (mm)	Grit	Backing	Abrasive
Z50040F	50*10mm	40	T27	Zirconia alumina
Z50060F		60		
Z50080F		80		
Z50120F		120		
Z100040FA	100*16mm	40	T27 Backing: 75mm	Zirconia alumina
Z100060FA		60		
Z100080FA		80		
Z1000120FA		120		
Z100036F	100*16mm	36	T27/T29	Zirconia alumina
Z100040F		40		
Z100060F		60		
Z100080F		80		
Z100120F	115*22mm	120	T27/T29	Zirconia alumina
Z100220F		220		
Z115036F		36		
Z115040F		40		
Z115060F	115*22mm	60	T27/T29	Zirconia alumina
Z115080F		80		
Z115120F		120		
Z1151220F		220		
Z125036F	125*22mm	36	T27/T29	Zirconia alumina
Z125040F		40		
Z125060F		60		
Z125080F		80		
Z125120F	125*22mm	120	T27/T29	Zirconia alumina
Z125220F		220		
Z150036F		36		
Z150040F		40		
Z150060F	150*22mm	60	T27/T29	Zirconia alumina
Z150080F		80		
Z150120F		120		
Z150220F		220		
Z180036F	180*22mm	36	T27/T29	Zirconia alumina
Z180040F		40		
Z180060F		60		
Z180080F		80		
Z180120F	180*22mm	120	T27/T29	Zirconia alumina
Z180220F		220		
Z230036F		36		
Z230040F		40		
Z230060F	230*22mm	60	T27/T29	Zirconia alumina
Z230080F		80		
Z2300120F		120		
Z230220F		220		

金属法兰锆刚玉百叶片

Zirconia flap disc with alloyed hub backing

Alloy hub support with strong sustaining capacity fits for heavy duty grinding. It is quick to change, so it considerably reduces the downtime and increases the productivity.

金属法兰基体具有很高的支撑力，适合高强度磨削。最主要的能快速更换，因此减少停工时间，提高了生产效率。

Main used for:
* Blending
* Blemish removal
* Inox
* Metal
* Ferrous metals

主要适用于:
不锈钢、金属、合金和铁等

Have high quality.
具有比较好的质量。



Item No.	Dimensions (mm)	Grit	Backing	Abrasive
ZK115040HUB	115*HUB	40	T27/T29	Zirconia alumina
ZK115060HUB		60		
ZK115080HUB		80		
ZK115120HUB		120		
ZK125040HUB	125*HUB	40	T27/T29	Zirconia alumina
ZK125060HUB		60		
ZK125080HUB		80		
ZK125120HUB		120		
ZK150040HUB	150*HUB	40	T27/T29	Zirconia alumina
ZK150060HUB		60		
ZK150080HUB		80		
ZK150120HUB		120		
ZK180040HUB	180*HUB	40	T27/T29	Zirconia alumina
ZK180060HUB		60		
ZK180080HUB		80		
ZK180120HUB		120		

网盖碳化硅百叶轮

Silicon carbide flap disc with fiberglass backing

Fiber support allows more pressure to be put on the discs while working.
玻璃纤维基体在使用中可以承受较强的压力。

Main used for:
* Stone
* Marble
* Granite
* Glass
* Wood

主要适用于:
石材、大理石、花岗岩、玻璃和木材等



Item No.	Dimensions (mm)	Grit	Backing	Abrasive
C100036F	100*16mm	36	T27/T29	Silicon Carbide
C100040F		40		
C100060F		60		
C100080F		80		
C100120F	100*16mm	120	T27/T29	Silicon Carbide
C100220F		220		
C115036F		36		
C115040F		40		
C115060F	115*22mm	60	T27/T29	Silicon Carbide
C115080F		80		
C115120F		120		
C115220F		220		
C125036F	125*22mm	36	T27/T29	Silicon Carbide
C125040F		40		
C125060F		60		
C125080F		80		
C125120F	125*22mm	120	T27/T29	Silicon Carbide
C125220F		220		
C150036F		36		
C150040F		40		
C150060F	150*22mm	60	T27/T29	Silicon Carbide
C150080F		80		
C150120F		120		
C150220F		220		
C180036F	180*22mm	36	T27/T29	Silicon Carbide
C180040F		40		
C180060F		60		
C180080F		80		
C180120F	180*22mm	120	T27/T29	Silicon Carbide
C180220F		220		
C230036F		36		
C230040F		40		
C230060F	230*22mm	60	T27/T29	Silicon Carbide
C230080F		80		
C230120F		120		
C230220F		220		

尼龙盖双片百叶轮

Dual flap disc (aluminum oxide / calcined aluminum / zirconia / silicon carbide with nylon backing)

Fiber support allows more pressure to be put on the discs while working.
Dual-flaps have longer life.
玻璃纤维基体在使用中可以承受较强的压力。
双片具有更长的使用寿命。

Main used for:
* Blending
* Blemish removal
* Inox
* Metal
* Ferrous metals

主要适用于:
不锈钢、金属、合金和铁等。



Item No.	Dimensions (mm)	Grit	Backing	Abrasive
AG100040FD	100*16mm	40	T27/T29	Aluminum oxide / Calcined aluminum / Zirconia alumina / Silicon carbide
AG100060FD		60		
AG100080FD		80		
AG100120FD		120		
AG115040FD	115*22mm	40	T27/T29	Aluminum oxide / Calcined aluminum / Zirconia alumina / Silicon carbide
AG115060FD		60		
AG115080FD		80		
AG115120FD		120		
AG125040FD	125*22mm	40	T27/T29	Aluminum oxide / Calcined aluminum / Zirconia alumina / Silicon carbide
AG125060FD		60		
AG125080FD		80		
AG125120FD		120		
AG150040FD	150*22mm	40	T27/T29	Aluminum oxide / Calcined aluminum / Zirconia alumina / Silicon carbide
AG150060FD		60		
AG150080FD		80		
AG150120FD		120		
AG180040FD	180*22mm	40	T27/T29	Aluminum oxide / Calcined aluminum / Zirconia alumina / Silicon carbide
AG180060FD		60		
AG180080FD		80		
AG180120FD		120		
AG230040FD	230*22mm	40	T27/T29	Aluminum oxide / Calcined aluminum / Zirconia alumina / Silicon carbide
AG230060FD		60		
AG230080FD		80		
AG230120FD		120		

尼龙盖棕刚玉、锆刚玉、碳化硅百叶轮 Aluminum oxide / zirconia / silicon carbide flap disc with nylon backing

Nylon backing is softer than fiber,it reduce the vibration of the disc while working and allows to follow better the prefile the workpiece.

尼龙基盘比玻璃纤维盘更具弹性，以减少使用中的振动，具有更好的加工效果。

Main used for:

- * Slightly finer
- * Blemish moval
- * Metal
- * Wood
- * Aluminum

主要适用于：
不锈钢、金属、铝和合金和铁等



Item No.	Dimensions (mm)	Grit	Backing	Abrasive		
AG100040PAB	100*16mm	40	T27 Backing: 75mm	Calcined aluminum / Zirconia alumina		
AG100060PAB		60				
AG100080PAB		80				
AG100036PA	100*16mm	36	T27/T29	Calcined aluminum/ Aluminum oxide / Zirconia alumina / Silicon carbide		
AG100040PA		40				
AG100060PA		60				
AG100080PA		80				
AG100120PA		120				
AG115036PA		36				
AG115040PA	115*22mm	40				
AG115060PA		60				
AG115080PA		80				
AG115120PA	120	T27/T29			Calcined aluminum/ Aluminum oxide / Zirconia alumina / Silicon carbide	
AG125036PA	36					
AG125040PA	40					
AG125060PA	60					
AG125080PA	80					
AG125120PA	120					
AG150036PA	36		150*22mm	T27/T29		Calcined aluminum/ Aluminum oxide / Zirconia alumina / Silicon carbide
AG150040PA	40					
AG150060PA	60					
AG150080PA	80					
AG150120PA	120					
AG180036PA	36					
AG180040PA	180*22mm	40				
AG180060PA		60				
AG180080PA		80				
AG180120PA		120				

大铁盖同步消耗百叶轮 Flap disc with metallic flange backing

Its flaps cloth and fiberglass backing are most used up due to the special backing design.

大铁盖百叶轮，页片与玻璃纤维能同步消耗，纱布被最大程度的消耗。

Main used for:

- * Slightly finer
- * Blemish moval
- * Metal
- * Wood
- * Aluminum

主要适用于：
金属、铝和木材等。



Item No.	Dimensions (mm)	Grit	Backing	Abrasive
AG100040M	100*16mm	40	T27	Aluminum oxide / Zirconia alumina / Silicon carbide
AG100060M		60		
AG100080M		80		
AG100120M		120		

百洁布百叶轮 Non-woven flap disc

Fast and steady finish without clogging,cooler cut.Increases lifetime compared to standard surface conditioning discs

打磨效率高，无磨屑堵塞，冷却不灼伤工件。使用寿命长，工件打磨完美。




Item No.	Dimensions (mm)	Grit	Backing	Abrasive
N10016C	100*16mm	Coarse	T27/T29	non-woven abrasive cloth
N10016M		Medium		
N10016F		Fine		
N10016V	Very fine	115*22mm		
N11522C	Coarse			
N11522M	Medium			
N11522F	Fine	125*22mm		
N11522V	Very fine			
N12522C	Coarse			
N12522M	Medium			
N12522F	Fine			
N12522V	Very fine	150*22mm		
N15022C	Coarse			
N15022M	Medium			
N15022F	Fine	150*22mm		
N15022V	Very fine			

夹百洁布百叶轮 Combi non-woven flap disc

Formed by two abrasive cloth,abrasive cloth and non-woven.

Excellent for finish,good brightness and quickly dissipating heat no blockage.

由纱布和百洁布间隔均匀粘在基盘上。具有表面加工效果好，光洁度高，散热快而不伤工件的优点。




Item No.	Dimensions (mm)	Sanding Cloth Grit	Backing	Abrasive
CB10040	100*16mm	40	T27/T29	Abrasive cloth & Non-woven fabric
CB10060		60		
CB10080		80		
CB100120		120		
CB115040	115*22mm	40		
CB115060		60		
CB115080		80		
CB115120	120	125*22mm		
CB125040	40			
CB125060	60			
CB125080	80			
CB125120	120			

立式棕刚玉百叶轮 Vertical flap disc

Vertical design,with a right angle between flaps and backing.According to the requirements of operation,it adjusts the angle from 45-degree to 90-degree.And most used for grinding and polishing parabolic surface.

立式百叶轮，纱布叶片在90度角竖立于基盘。叶片在45度到90度的角度内随意变化，非常适合抛物的磨削和抛光。



Item No.	Dimensions (mm)	Grit	Backing	Abrasive
AG100040M	100*16mm	40	Fiberglass / Nylon	Aluminum oxide
AG100060M		60		
AG100080M		80		
AG100120M		120		

Glory

GLORY

CHANGZHOU

冠日砂纸砂盘系列

Mainly Grinding and polishing for automobile
paint,wood,stone,metal, and so on.

Sanding disc with holes is better for the strips
go out,so the work pieces can not be
harmed and there is no pollution.

IMPORT MATERIAL,NO POLLUTION
PRODUCE PRECISE AND USE SAFTY
GOOD OF SIZES
GOOD VALUE FOR MONEY
GOOD OF QUALITY

Mainly Grinding and polishing for automobile,
paint,wood,stone,metal, and so on,Velcro disc
with holes is better for the strips go out,so the
work pieces can not be harmed and there is
no pollution.

Aluminum oxide velcro/PSA disc

Premium quality aluminum oxide B、C、D、E、F weight paper

特征: 高质量氧化铝, B、C、D、E、F级纸

Main used for

- * Wood
- * Metal
- * Car repair
- * Chipboard
- * Veneers:

主要适用于:

木材、金属、汽车修理、硬纸板和装饰板等



Item No.	Diameter(mm / inch)	Hole	Grit	Material	Color
AC50R	Φ50 / 2"	0	24#--2000#	Aluminum oxide+C or E weight backing paper	Red
AC75R	Φ75 / 3"	0			
AC100R	Φ100 / 4"	0			
AC115R	Φ115 / 4.5"	0/5/6/8			
AC125R	Φ125 / 5"	0/5/6/8/15			
AC150R	Φ150 / 6"	0/5/6/8/9/15/17			
AC180R	Φ180 / 7"	0/8			
AC200R	Φ200 / 8"	0/8			
AC230R	Φ230 / 9"	0			
AC250R	Φ250 / 10"	0			
AC305R	Φ305 / 12"	0			
AC381R	Φ381 / 15"	0			
AC400R	Φ400 / 15-3/4"	0			
AC430R	Φ430 / 17"	0			
AC500R	Φ500 / 19-7/10"	0			
AC600R	Φ600 / 23-3/5"	0			
AT70R	70mm	0	24#--2000#	Aluminum oxide+C or E weight backing paper	Red
AT76R	76mm	0			
AT80R	80mm	0			
AT93R	93mm	6			
AT95R	95mm	6			
AT105R	105mm	6			
AT120R	120mm	6			
AR4060R	40*60mm	0	24#--2000#	Aluminum oxide+C or E weight backing paper	Red
AR68205R	68*205mm	6			
AR70125R	70*125mm	0			
AR70420R	70*420mm	14			
AR75200R	75*200mm	11			
AR81133R	81*133mm	8			
AR81153R	81*153mm	8			
AR90165R	90*165mm	8			
AR93178R	93*178mm	0/8/10			
AR93186R	93*186mm	8			
AR110215R	110*215mm	8			
AR115230R	115*230mm	0/10			

Yellow aluminum oxide velcro/PSA disc

Open coat aluminum oxide.Additive:"No Fill" anti-load coating B、C、D、E、F weight paper

特征: 薄层氧化铝砂面, B、C、D、E、F级纸

Main used for

- * Primary coats
- * Varnish
- * Furniture
- * Car repair and painter
- * Lacquers

主要适用于:

初级皮毛、油漆面、汽车修理、家具



Item No.	Diameter(mm / inch)	Hole	Grit	Material	Color
AC50G	Φ50 / 2"	0	40#--1500#	Aluminum oxide & zirconia+C latexed paper	Gold
AC75G	Φ75 / 3"	0			
AC100G	Φ100 / 4"	0			
AC115G	Φ115 / 4.5"	0/5/6/8			
AC125G	Φ125 / 5"	0/5/6/8/15			
AC150G	Φ150 / 6"	0/5/6/8/9/15/17			
AC180G	Φ180 / 7"	0/8			
AC200G	Φ200 / 8"	0/8			
AC230G	Φ230 / 9"	0			
AC250G	Φ250 / 10"	0			
AC305G	Φ305 / 12"	0			
AC381G	Φ381 / 15"	0			
AC400G	Φ400 / 15-3/4"	0			
AC430G	Φ430 / 17"	0			
AC500G	Φ500 / 19-7/10"	0			
AC600G	Φ600 / 23-3/5"	0			
AT70G	70mm	0	40#--1500#	Aluminum oxide & zirconia+C latexed paper	Gold
AT76G	76mm	0			
AT80G	80mm	0			
AT93G	93mm	6			
AT95G	95mm	6			
AT105G	105mm	6			
AT120G	120mm	6			
AR4060G	40*60mm	0	40#--1500#	Aluminum oxide & zirconia+C latexed paper	Gold
AR68205G	68*205mm	6			
AR70125G	70*125mm	0			
AR70420G	70*420mm	14			
AR75200G	75*200mm	11			
AR81133G	81*133mm	8			
AR81153G	81*153mm	8			
AR90165G	90*165mm	8			
AR93178G	93*178mm	0/8/10			
AR93186G	93*186mm	8			
AR110215G	110*215mm	8			
AR115230G	115*230mm	0/10			

Stearated aluminum oxide velcro/PSA disc

Open coat aluminum oxide.Additive:Zinc stearate B、C、D、E、F weight paper

特征: 薄层氧化铝涂层, B、C、D、E、F级纸

Main used for

- * Primary coats
- * Painters
- * Polyester
- * Car repair
- * Varnish
- * Wood

主要适用于:

初级皮毛、油漆面、汽车修理、木材



Item No.	Diameter(mm / inch)	Hole	Grit	Material	Color
AC50W	Φ50 / 2"	0	60#--600#	Aluminum oxide semi-open coated+C or D weight backing paper	White
AC75W	Φ75 / 3"	0			
AC100W	Φ100 / 4"	0			
AC115W	Φ115 / 4.5"	0/5/6/8			
AC125W	Φ125 / 5"	0/5/6/8/15			
AC150W	Φ150 / 6"	0/5/6/8/9/15/17			
AC180W	Φ180 / 7"	0/8			
AC200W	Φ200 / 8"	0/8			
AC230W	Φ230 / 9"	0			
AC250W	Φ250 / 10"	0			
AC305W	Φ305 / 12"	0			
AC381W	Φ381 / 15"	0			
AC400W	Φ400 / 15-3/4"	0			
AC430W	Φ430 / 17"	0			
AC500W	Φ500 / 19-7/10"	0			
AC600W	Φ600 / 23-3/5"	0			
AT70W	70mm	0	60#--600#	Aluminum oxide semi-open coated+C or D weight backing paper	White
AT76W	76mm	0			
AT80W	80mm	0			
AT93W	93mm	6			
AT95W	95mm	6			
AT105W	105mm	6			
AT120W	120mm	6			
AR4060W	40*60mm	0	60#--600#	Aluminum oxide semi-open coated+C or D weight backing paper	White
AR68205W	68*205mm	6			
AR70125W	70*125mm	0			
AR70420W	70*420mm	14			
AR75200W	75*200mm	11			
AR81133W	81*133mm	8			
AR81153W	81*153mm	8			
AR90165W	90*165mm	8			
AR93178W	93*178mm	0/8/10			
AR93186W	93*186mm	8			
AR110215W	110*215mm	8			
AR115230W	115*230mm	0/10			

Silicon carbide velcro/PSA disc

Closed coat silicon carbide B、C、D、E、F weight paper


特征: 密层碳化硅砂面, B、C、D、E、F级纸

Main used for

- * Stone
- * Chipboard
- * Plastic
- * Marble
- * Veneers
- * Non-ferrous
- * Wooden floors

主要适用于:

石材、硬纸板、塑料、大理石、装饰板、非铁金属和木地板等




Item No.	Diameter(mm / inch)	Hole	Grit	Material	Color
AC50B	Φ50 / 2"	0	40#--1000#	Silicon carbide, semi-coated	Black
AC75B	Φ75 / 3"	0			
AC100B	Φ100 / 4"	0			
AC115B	Φ115 / 4.5"	0/5/6/8			
AC125B	Φ125 / 5"	0/5/6/8/15			
AC150B	Φ150 / 6"	0/5/6/8/9/15/17			
AC180B	Φ180 / 7"	0/8			
AC200B	Φ200 / 8"	0/8			
AC230B	Φ230 / 9"	0			
AC250B	Φ250 / 10"	0			
AC305B	Φ305 / 12"	0			
AC381B	Φ381 / 15"	0			
AC400B	Φ400 / 15-3/4"	0			
AC430B	Φ430 / 17"	0			
AC500B	Φ500 / 19-7/10"	0			
AC600B	Φ600 / 23-3/5"	0			
AT70B	70mm	0	40#--1000#	Silicon carbide, semi-coated	Black
AT76B	76mm	0			
AT80B	80mm	0			
AT93B	93mm	6			
AT95B	95mm	6			
AT105B	105mm	6			
AT120B	120mm	6			
AR4060B	40*60mm	0	40#--1000#	Silicon carbide, semi-coated	Black
AR68205B	68*205mm	6			
AR70125B	70*125mm	0			
AR70420B	70*420mm	14			
AR75200B	75*200mm	11			
AR81133B	81*133mm	8			
AR81153B	81*153mm	8			
AR90165B	90*165mm	8			
AR93178B	93*178mm	0/8/10			
AR93186B	93*186mm	8			
AR110215B	110*215mm	8			
AR115283B	115*230mm	0/10			

Aluminum oxide PET film backing disc

Aluminum oxide
B, C, D, E, F weightpaper
特征: 磨粒碳化硅, B、C、D、E、F级纸

Main used for
* Car
* Electronic
* CD-ROM
* Metal
* Marble
* Furniture
主要适用于:
汽车、电子、CD-ROM金属、大理石、家具



Item No.	Diameter(mm / inch)	Hole	Grit	Material	Color
AC50P	Φ50 / 2"	0	40#--1500#	Aluminum oxide+PET	Green
AC75P	Φ75 / 3"	0			
AC100P	Φ100 / 4"	0			
AC115P	Φ115 / 4.5"	0/5/6/8			
AC125P	Φ125 / 5"	0/5/6/8/15			
AC150P	Φ150 / 6"	0/5/6/8/9/15/17			
AC180P	Φ180 / 7"	0/8			
AC200P	Φ200 / 8"	0/8			
AC230P	Φ230 / 9"	0			
AC250P	Φ250 / 10"	0			
AC305P	Φ305 / 12"	0			
AC381P	Φ381 / 15"	0			
AC400P	Φ400 / 15-3/4"	0			
AC430P	Φ430 / 17"	0			
AC500P	Φ500 / 19-7/10"	0			
AC600P	Φ600 / 23-3/5"	0			
AT70P	70mm	0	40#--1500#	Aluminum oxide+PET	Green
AT76P	76mm	0			
AT80P	80mm	0			
AT93P	93mm	6			
AT95P	95mm	6			
AT105P	105mm	6			
AT120P	120mm	6	40#--1500#	Aluminum oxide+PET	Green
AR4060P	40*60mm	0			
AR68205P	68*205mm	6			
AR70125P	70*125mm	0			
AR70420P	70*420mm	14			
AR75200P	75*200mm	11			
AR81133P	81*133mm	8			
AR81153P	81*153mm	8			
AR90165P	90*165mm	8			
AR93178P	93*178mm	0/8/10			
AR93186P	93*186mm	8			
AR110215P	110*215mm	8			
AR115230P	115*230mm	0/10			

Mesh sanding disc

Aluminum oxide
Backing: Polyamide fiber fabric
特征: 棕刚玉、背基: 聚酰胺纤维织物

Advantages:
* Dust-free sanding and better working environment
* High efficiency to eliminate the surface of agglomeration

产品优点:
无尘打磨、更好的工作环境
超高的工作效率, 清除表面结块, 更少的起球



Item No.	Diameter(mm / inch)	Hole	Grit	Material	Color
AC50M	Φ50 / 2"	0	80#--400#	Aluminum oxide	Red, Orange, Green, Yellow, Brown, Black
AC75M	Φ75 / 3"				
AC100M	Φ100 / 4"				
AC115M	Φ115 / 4.5"				
AC125M	Φ125 / 5"				
AC150M	Φ150 / 6"				
AC180M	Φ180 / 7"				
AC200M	Φ200 / 8"				
AC230M	Φ230 / 9"				
AC250M	Φ250 / 10"				
AC305M	Φ305 / 12"				
AC381M	Φ381 / 15"				
AC400M	Φ400 / 15-3/4"				
AC430M	Φ430 / 17"				
AC500M	Φ500 / 19-7/10"				
AC600M	Φ600 / 23-3/5"				
AT70M	70mm	0	80#--400#	Aluminum oxide	Red, Orange, Green, Yellow, Brown, Black
AT76M	76mm				
AT80M	80mm				
AT93M	93mm				
AT95M	95mm				
AT105M	105mm				
AT120M	120mm	0	80#--400#	Aluminum oxide	Red, Orange, Green, Yellow, Brown, Black
AR4060M	40*60mm				
AR68205M	68*205mm				
AR70125M	70*125mm				
AR70420M	70*420mm				
AR75200M	75*200mm				
AR81133M	81*133mm				
AR81153M	81*153mm				
AR90165M	90*165mm				
AR93178M	93*178mm				
AR93186M	93*186mm				
AR110215M	110*215mm				
AR115230M	115*230mm				

Special-shaped velcro/PSA disc



Item No.	Diameter(mm / inch)	Hole	Grit	Material	Color			
AS12570	125*70mm	6	24#--2000#	Aluminum oxide	Red / Gold / White / Black			
AS150102	150*102mm	7						
AS173100	173*100mm	8						
AS185110	185*110mm	8						
AS9550	95*50mm	0						
AS10065	100*65mm	0						
AS10060	100*60mm	0						



Item No.	Size(mm)	Hole	Material	Backing Style	Sample
S100H0	100	0	ALL	VELCRO/PSA	
S115H0	115	0	ALL	VELCRO/PSA	
S115H5	115	5	ALL	VELCRO/PSA	
S115H6	115	6	ALL	VELCRO/PSA	
S115H8	115	8	ALL	VELCRO/PSA	
S125H0	125	0	ALL	VELCRO/PSA	
S125H5	125	5	ALL	VELCRO/PSA	
S125H6	125	6	ALL	VELCRO/PSA	
S125H8	125	8	ALL	VELCRO/PSA	
S125H15	125	15	ALL	VELCRO/PSA	
S150H0	150	0	ALL	VELCRO/PSA	
S150H5	150	5	ALL	VELCRO/PSA	

Item No.	Size(mm)		Hole	Material	Backing Style	Sample
S150H6	150		6	ALL	VELCRO/PSA	
S150H8	150		8	ALL	VELCRO/PSA	
S150H9	150		9	ALL	VELCRO/PSA	
S150H9	150		9	ALL	VELCRO/PSA	
S150H15	150		15	ALL	VELCRO/PSA	
S150H17	150		17	ALL	VELCRO/PSA	
S180H0	180		0	ALL	VELCRO/PSA	
S180H8	180		8	ALL	VELCRO/PSA	
S200H0	200		0	ALL	VELCRO/PSA	
S200H8	200		8	ALL	VELCRO/PSA	
S250H0	250		0	ALL	VELCRO/PSA	
S300H0	300		0	ALL	VELCRO/PSA	
S381H0	381		0	ALL	VELCRO/PSA	
S400H0	400		0	ALL	VELCRO/PSA	
S430H0	430		0	ALL	VELCRO/PSA	
S500H0	500		0	ALL	VELCRO/PSA	
S600H0	600		0	ALL	VELCRO/PSA	
Item No.	Size (LxW) mm		Hole	Material	Backing Style	Sample
R001	60	40	0	ALL	VELCRO/PSA	
R002	115	102	6	ALL	VELCRO/PSA	
R003	115	112	8	ALL	VELCRO/PSA	
R004	125	70	0	ALL	VELCRO/PSA	
R005	133	81	8	ALL	VELCRO/PSA	
R006	133	81	8	ALL	VELCRO/PSA	
R007	153	81	8	ALL	VELCRO/PSA	

R008	165	90	8	ALL	VELCRO/PSA	
R009	178	93	0	ALL	VELCRO/PSA	
R010	178	93	8	ALL	VELCRO/PSA	
R011	178	93	10	ALL	VELCRO/PSA	
R012	186	93	8	ALL	VELCRO/PSA	
R013	200	75	11	ALL	VELCRO/PSA	
R014	205	68	6	ALL	VELCRO/PSA	
R015	230	115	0	ALL	VELCRO/PSA	
R016	230	115	10	ALL	VELCRO/PSA	
R017	215	110	8	ALL	VELCRO/PSA	
R018	420	70	14	ALL	VELCRO/PSA	
Y001	55	40	0	ALL	VELCRO/PSA	
Y002	70	70	0	ALL	VELCRO/PSA	
Y003	80	80	0	ALL	VELCRO/PSA	
Y004	95	95	6	ALL	VELCRO/PSA	
Y005	95	95	6	ALL	VELCRO/PSA	
Y006	105	105	6	ALL	VELCRO/PSA	
Y007	120	120	6	ALL	VELCRO/PSA	
Y008	125	70	6	ALL	VELCRO/PSA	
Y009	150	102	7	ALL	VELCRO/PSA	
Y010	173	100	8	ALL	VELCRO/PSA	
Y011	185	110	8	ALL	VELCRO/PSA	
Y012	95	50	0	ALL	VELCRO/PSA	
Y013	100	65	0	ALL	VELCRO/PSA	
Y014	100	60	0	ALL	VELCRO/PSA	
Y015	125	70	6	ALL	VELCRO/PSA	

Sanding cloth flap wheel with shaft



APPLICATIONS:

Applications requiring maximum benefits of conformability and finishing rate. Provides fine surface finish. Best used for finishing flat surfaces and deburring and cleaning inner diameters and contoured surfaces.

Blending, finishing and cleaning on inside and outside diameters of ferrous and non-ferrous materials.
Deburring edges.
Removing flash and parting line.

Item No.	Size (mm)	Grit	Material
A10103	10*10*3	80-320	Aluminum oxide sanding cloth
A15153	15*15*3		
A20103	20*10*3		
A20153	20*15*3		
A20156	20*15*6		
A20206	20*20*6		
A20256	20*25*6		
A20306	20*30*6		
A25103	25*10*3	60-120	
A25153	25*15*3	60-320	
A25156	25*15*6	40-320	
A25256	25*25*6	40-320	
A3053	30*5*3		
A3056	30*5*6		
A30103	30*10*3		
A30106	30*10*6		
A30153	30*15*3		
A30156	30*15*6	40-320	
A30206	30*20*6		
A30256	30*25*6		
A30306	30*30*6	40-400	
A40106	40*10*6	40-320	
A40156	40*15*6		
A40206	40*20*6		
A40256	40*25*6		
A40306	40*30*6		
A40406	40*40*6		
A40506	40*50*6		
A50106	50*10*6	40-320	
A50156	50*15*6		
A50206	50*20*6		
A50256	50*25*6		
A50306	50*30*6		
A50406	50*40*6		
A50506	50*50*6		
A60106	60*10*6	40-400	
A60206	60*20*6		
A60256	60*25*6		
A60306	60*30*6		
A60406	60*40*6		
A60506	60*50*6		
A80206	80*20*6	40-320	
A80256	80*25*6		
A80306	80*30*6		
A80406	80*40*6		
A80506	80*50*6		

Any sizes are available according to customer's requirement.



Non-woven flap wheel with shaft

Non-woven flap wheel with shaft is soft and conformable. The non-woven material allows removing surface contaminants without eliminating critical detail or gouging the work piece.

APPLICATIONS:

Designed for use on small straight grinders.
Blending, cleaning, and finishing.
Decorative satin and matte finishing on stainless steel, brass and aluminum.
Removal of surface contaminants such as rust, grease and oils.
Finishing aluminum extrusions.
In-line brush finish for stainless steel and aluminum cookware.

Item No.	Size (mm)	Grit	Material
N3025C	30*25*6	Coarse	Non-woven
N3025M		Medium	
N3025V		Very fine	
N30230C	30*30*6	Coarse	
N3030M		Medium	
N3030V		Very fine	
N4020C	40*20*6	Coarse	
N4020M		Medium	
N4020V		Very fine	
N4030C	40*30*6	Coarse	
N4030M		Medium	
N4030V		Very fine	
N5020C	50*20*6	Coarse	
N5020M		Medium	
N5020V		Very fine	
N5025C	50*25*6	Coarse	
N5025M		Medium	
N5025V		Very fine	
N5030C	50*30*6	Coarse	
N5030M		Medium	
N5030V		Very fine	
N5040C	50*40*6	Coarse	
N5040M		Medium	
N5040V		Very fine	
N5050C	50*50*6	Coarse	
N5050M		Medium	
N5050V		Very fine	
N6025C	60*25*6	Coarse	
N6025M		Medium	
N6025V		Very fine	
N6030C	60*30*6	Coarse	
N6030M		Medium	
N6030V		Very fine	
N6040C	60*40*6	Coarse	
N6040M		Medium	
N6040V		Very fine	
N7545C	75*45*6	Coarse	
N7545M		Medium	
N7545V		Very fine	
N8030C	80*30*6	Coarse	
N8030M		Medium	
N8030V		Very fine	
N8040C	80*40*6	Coarse	
N8040M		Medium	
N8040V		Very fine	
N8050C	80*50*6	Coarse	
N8050M		Medium	
N8050V		Very fine	

Any sizes are available according to customer's requirement.



Combi non-woven flap wheel with shaft


Wheels are constructed with alternating flaps of non-woven and coated abrasive aluminum oxide material. High rate of cut, while providing a uniform scratch pattern.

APPLICATIONS:

Designed for use on small straight pneumatic and electric grinders.
 Removing heavy oxidation prior to painting and plating.
 Deburring and grain finishing stainless steel sheets after conventional coated abrasives.
 Finishing stamped or extruded aluminum parts.
 Satin finishing large surfaces.
 Blending, cleaning, and finishing on ferrous and non-ferrous materials when a linear scratch pattern is required and final finish is a primary concern.

Item No.	size (mm)	Grit	Material
C3025C	30*25*6	Coarse	Non-woven + Sanding cloth
C3025M		Medium	
C3025V		Very fine	
C3030C	30*30*6	Coarse	
C3030M		Medium	
C3030V		Very fine	
C4020C	40*20*6	Coarse	
C4020M		Medium	
C4020V		Very fine	
C4025C	40*25*6	Coarse	
C4025M		Medium	
C4025V		Very fine	
C4030C	40*30*6	Coarse	
C4030M		Medium	
C4030V		Very fine	
C5025C	50*25*6	Coarse	
C5025M		Medium	
C5025V		Very fine	
C5030C	50*30*6	Coarse	
C5030M		Medium	
C5030V		Very fine	
C5040C	50*40*6	Coarse	
C5040M		Medium	
C5040V		Very fine	
C5050C	50*50*6	Coarse	
C5050M		Medium	
C5050V		Very fine	
C6025C	60*25*6	Coarse	
C6025M		Medium	
C6025V		Very fine	
C6030C	60*30*6	Coarse	
C6030M		Medium	
C6030V		Very fine	
C7625C	76*25*6	Coarse	
C7625M		Medium	
C7625V		Very fine	
C7650C	76*50*6	Coarse	
C7650M		Medium	
C7650V		Very fine	
C7660C	76*60*6	Coarse	
C7660M		Medium	
C7660V		Very fine	
C8025C	80*25*6	Coarse	
C8025M		Medium	
C8025V		Very fine	
C8030C	80*30*6	Coarse	
C8030M		Medium	
C8030V		Very fine	
C10050C	100*50	Coarse	
C10050M		Medium	
C10050V		Very fine	

Any sizes are available according to customer's requirement.



**CLEANING
STRIP DISC**

For stone / masonry *For cutting



Item No.	Diameter x Thickness x Hole		RPM	Sharp
	mm	inch		
SC10016	100 x 1.6 x 16	4" x 1/16" x 5/8"	15,200	
SC10025	100 x 2.5 x 16	4" x 3/32" x 5/8"	15,200	
SC10030	100 x 3.0 x 16	4" x 1/8" x 5/8"	15,200	
SC11516	115 x 1.6 x 22.2	4-1/2" x 1/16" x 7/8"	13,200	
SC11530	115 x 3.0 x 22.2	4-1/2" x 1/8" x 7/8"	13,200	
SC12516	125 x 1.6 x 22.2	5" x 1/16" x 7/8"	12,300	
SC12530	125 x 3.0 x 22.2	5" x 1/8" x 7/8"	12,300	
SC15016	150 x 1.6 x 22.2	6" x 1/16" x 7/8"	10,300	
SC15030	150 x 3.0 x 22.2	6" x 1/8" x 7/8"	10,300	
SC18016	180 x 1.6 x 22.2	7" x 1/16" x 7/8"	8,600	
SC18019	180 x 1.9 x 22.2	7" x 1/12" x 7/8"	8,600	
SC18030	180 x 3.0 x 22.2	7" x 1/8" x 7/8"	8,600	
SC23019	230 x 2.0 x 22.2	9" x 5/64" x 7/8"	6,600	
SC23030	230 x 3.0 x 22.2	9" x 1/8" x 7/8"	6,600	
SC30520	305 x 3.5 x 20.0	12" x 1/8" x 4/5"	5,100	
SC30522	305 x 3.5 x 22.2	12" x 1/8" x 7/8"	5,100	
SC30525	305 x 3.5 x 25.4	12" x 1/8" x 1"	5,100	
SC30540	305 x 4.0 x 25.4	12" x 5/32" x 1"	5,100	
SC35535	355 x 3.5 x 25.4	14" x 1/8" x 1"	4,400	
SC35520	355 x 4.0 x 20.0	14" x 5/32" x 4/5"	4,400	
SC35522	355 x 4.0 x 22.2	14" x 5/32" x 7/8"	4,400	
SC35525	355 x 4.0 x 25.4	14" x 5/32" x 1"	4,400	
SC40025	400 x 4.0 x 25.4	16" x 5/32" x 1"	3,800	


Other sizes are available according to customers' required.

For stone / masonry * For grinding



Item No.	Diameter x Thickness x Hole		RPM	Sharp
	mm	inch		
SG10060	100 x 6.0 x 16	4" x 1/4" x 5/8"	15,200	
SG11560	115 x 6.0 x 22.2	4-1/2" x 1/4" x 7/8"	13,200	
SG12560	125 x 6.0 x 22.2	5" x 1/4" x 7/8"	12,300	
SG15060	150 x 6.0 x 22.2	6" x 1/4" x 7/8"	10,300	
SG18060	180 x 6.0 x 22.2	7" x 1/4" x 7/8"	8,600	
SG23060	230 x 6.0 x 22.2	9" x 1/4" x 7/8"	6,600	

For non-ferrous metal *For cutting



Item No.	Diameter x Thickness x Hole		RPM	Sharp
	mm	inch		
NC10010	100 x 1.0 x 16	4" x 1/16" x 5/8"	15,200	
NC12510	125 x 1.0 x 22.2	5" x 1/16" x 7/8"	12,300	
NC40040	400 x 4.0 x 25.4	16" x 5/32" x 1"	3,800	

For non-ferrous metal * For grinding



Item No.	Diameter x Thickness x Hole		RPM	Sharp
	mm	inch		
NG12530	125 x 3.0 x 22.2	5" x 1/8" x 7/8"	12,300	
NG18030	180 x 3.0 x 22.2	7" x 1/8" x 7/8"	8,600	

Non-woven scouring rolls and pads

The products are widely used in cleaning, polishing, burring, removing oxidation film, and precise treatment of fine lines of metal and non-metal surface etc.. Suitable for dry/wet grinding by machine or hands. Smooth and beautiful treated surface. Does not change the workpiece surface shape.




Model No.	Size	Grits	Material
8698	150*230mm / 6" x 9"	240#	Aluminum oxide
	1m * 80m		

Other sizes and grits are available according to customers' required




Model No.	Size	Grits	Material
7447	150*230mm / 6" x 9"	400#	Aluminum oxide
	1m * 120m		

Other sizes and grits are available according to customers' required



Model No.	Size	Grits	Material
7447C	150*230mm / 6" x 9"	400#	Aluminum oxide
	1m * 120m		

Other sizes and grits are available according to customers' required



Model No.	Size	Grits	Material
8447A	150*230mm / 6" x 9"	600#	Aluminum oxide
	1m * 120m		

Other sizes and grits are available according to customers' required



Model No.	Size	Grits	Material
8447S	150*230mm / 6" x 9"	600#	Silicon carbide
	1m * 120m		

Other sizes and grits are available according to customers' required

工业百洁布 全球制造商
Industrial microfiber cloth
Global manufacturer

Unitized wheels



APPLICATIONS

Blending

Blending and refining surfaces of jet blade airfoils.
Blending parting lines from cast turbine blades and vanes.
Blending stainless steel surgical instruments.
Blending mill marks and machine mismatches.
Removing resins and adhesive overspray.
Coating removal
Removing plastic mold flashing.
Removing minor pits and scratches.

Polishing

Polishing welds on stainless steel sinks.
Polishing stainless steel rule dies.
Polishing machined surfaces.
Polishing hand tools.
Polishing round tubing.

Deburring

Deburring stainless steel pipe thread.
Deburring wire edges from surgical instruments.

Item No.	Size	Density	Abrasives	Material	Color
U10025	100 x 25 x 19 mm	2P--12P	Aluminum oxide Silicon carbide	Coarse / Medium / Fine / Very Fine 46#-1500#	Grey / Red / White / Black / Maroon / Green
U10050	100 x 50 x 19 mm				
U15025	150 x 25 x 19 mm				
U15050	150 x 50 x 19 mm				
U20025	200 x 25 x 19 mm				
U20050	200 x 50 x 19 mm				
U2002520	200 x 25 x 20 mm				
U25030	250 x 30 x 25 mm				
U25050	250 x 50 x 25 mm				
U30040	300 x 40 x 32 mm				
U30050	350 x 50 x 25 mm				

Other sizes are available according to customers' required.

Convolute wheels



APPLICATIONS

Deburring

Removing medium to heavy burrs.
Deburring turbine blades.
Deburring heavy edges.

Blending

Blending machine tool marks and apply final finish in one step.
Blending coated abrasive scratches while applying a burr-free finish acceptable for coating and polishing.

Finishing

Final finishing on surgical tools.
Maximum productivity for automated finishing processes.
Grain finishing on stainless steel after weld removal.
Imparts uniformed, brushed finish.

Cleaning

Removing discoloration from welds.
General purpose cleaning.
Removing rust.
Imparts a clean, bright surface on stainless steel.

Item No.	Size (Outer Diameter x Thickness x Inner Diameter)		Density	Abrasives	Grit	Colour
	mm	inch				
CW1501325	150 x 13 x 25	6" x 1/2" x 1"	2S--9S	Aluminum oxide Silicon carbide	46#--2000#	Maroon / Grey
CW1502525	150 x 25 x 25	6" x 1" x 1"				
CW1505025	150 x 50 x 25	6" x 2" x 1"				
CW1502550	150 x 25 x 50	6" x 1" x 2"				
CW1505050	150 x 50 x 50	6" x 2" x 2"				
CW2031376	203 x 13 x 76	8" x 1/2" x 3"				
CW2032576	203 x 25 x 76	8" x 1" x 3"				
CW2035076	203 x 50 x 76	8" x 2" x 3"				
CW2541376	254 x 13 x 76	10" x 1/2" x 3"				
CW2542576	254 x 25 x 76	10" x 1" x 3"				
CW2545076	254 x 50 x 76	10" x 2" x 3"				
CW30013125	300 x 13 x 125	12" x 1/2" x 5"				
CW30025125	300 x 25 x 125	12" x 1" x 5"				
CW30050125	300 x 50 x 125	12" x 2" x 5"				
CW35550203	355 x 50 x 203	14" x 2" x 8"				
CW35576203	355 x 76 x 203	14" x 3" x 8"				

T27 Nylon wheel with nylon / fiberglass /metallic backing

The products are widely used in cleaning, polishing, burring, removing oxidation film, and precise treatment of fine lines of metal and non-metal surface etc.. Suitable for dry/wet grinding by machine or hands. Smooth and beautiful treated surface. Does not change the workpiece surface shape.



Item No.	Size	Density	Abrasives	Grit	Color
NW75C	75	4P--18P	Aluminum oxide Silicon carbide	Coarse	Grey / Red / White
NW75M				Medium	
NW75F				Fine	
NW100C	100			Coarse	
NW100M				Medium	
NW100F				Fine	
NW115C	115			Coarse	
NW115M				Medium	
NW115F				Fine	
NW125C	125			Coarse	
NW125M		Medium			
NW125F		Fine			
NW150C	150	Coarse			
NW150M		Medium			
NW150F		Fine			
NW180C	180	Coarse			
NW180M		Medium			
NW180F		Fine			

Other sizes,grits,color and density are available according to customers' required.

Machine used non-woven wheel with plastic backing



Item No.	Size(mm)	Grit	Colour	Material
MN150	150mm	120#--1000#	White	Non-woven Aluminum oxide
			Grey	
			Red	
			Green	
			Maroon	

Other sizes,grits,color and density are available according to customers' required

Non-woven flap brush wheel

Non-woven flap brush, with syntetic fiber lamellae uniformly coated with abrasive grains of Aluminium Oxide or Silicon Carbide bonded with resins, radially disposed around a fiber center. Thickness 50, 100 or 150 mm. 19mm hole is key-shaped.

Suitable for satin finishing or masking of ferrous and non-ferrous metal, stainless steel, to be used both with axial grinders, flexible shaft grinders or automatic grinders.



Item No.	Size(Diameter x Height x Hole)	Density	Abrasives	Material
BW8050	80 x 50 x 19 mm	2P--12P	Aluminum oxide Silicon carbide	Coarse / Medium / Fine / Very Fine 46#-1500#
BW10050	100 x 50 x 19 mm			
BW100100	100 x 100 x 19 mm			
BW105100	105 x 100 x 19 mm			
BW110100	110 x 100 x 19 mm			
BW120100	120 x 100 x 19 mm			
BW120150	120 x 150 x 19 mm			

Other sizes are available according to customers' required

Combi flap brush wheel

Combi flap brush, with syntetic fiber lamellae uniformly coated with abrasive grains of Aluminium Oxide or Silicon Carbide bonded with resins, alternate with abrasive cloth lamellae and radially disposed around a fiber center. Thickness 50, 100 or 150 mm. 19mm hole is key-shaped. Available with nonwoven material in grits A/Medium and A/Fine and with abrasive cloth in grits P60, P80, P120, P180, P240. etc..

Suitable for satin finishing or masking of ferrous and non-ferrous metal, stainless steel, to be used both with flexible shaft grinders or automatic grinders.



Item No.	Size(Diameter x Height x Hole)	Density	Colour	Material
CB8050	80 x 50 x 19 mm	60#--1200#	Maroon / Brown /Grey / Green	Aluminum oxide Silicon carbide
CB10050	100 x 50 x 19 mm			
CB100100	100 x 100 x 19 mm			
CB105100	105 x 100 x 19 mm			
CB110100	110 x 100 x 19 mm			
CB120100	120 x 100 x 19 mm			
CB120150	120 x 150 x 19 mm			

Other sizes are available according to customers' required

Non-woven flap wheels / combi flap wheels

Non-woven flap brush, with syntetic fiber lamellae uniformly coated with abrasive grains of Aluminium Oxide or Silicon Carbide bonded with resins, radially disposed around a fiber center. Thickness 50, 100 or 150 mm. 19mm hole is key-shaped.

Suitable for satin finishing or masking of ferrous and non-ferrous metal, stainless steel, to be used both with axial grinders, flexible shaft grinders or automatic grinders.



Item No.	Size(Diameter x Thickness x Hole)	Density	Abrasives	Material
NF1005020	100 x 50 x 20	2P--12P	Red 7447 Maroon 7447C Green 8698	Aluminum oxide Silicon carbide
NF1502520	150 x 25 x 20			
NF1502525	150 x 25 x 25			
NF1502532	150 x 25 x 32			
NF1502550	150 x 25 x 50			
NF1505020	150 x 50 x 20			
NF1505025	150 x 50 x 25			
NF1505032	150 x 50 x 32			
NF1505050	150 x 50 x 50			
NF2002520	200 x 25 x 20			
NF2002525	200 x 25 x 25			
NF2002532	200 x 25 x 32			
NF2002550	200 x 25 x 50			
NF2005020	200 x 50 x 20			
NF2005025	200 x 50 x 25			
NF2005032	200 x 50 x 32			
NF2005050	200 x 50 x 50			
NF2502520	250 x 25 x 20			
NF2502525	250 x 25 x 25			
NF2502532	250 x 25 x 32			
NF2502550	250 x 25 x 50			
NF2505020	250 x 50 x 20			
NF2505025	250 x 50 x 25			
NF2505032	250 x 50 x 32			
NF2505050	250 x 50 x 50			
NF3002520	300 x 25 x 20			
NF3002525	300 x 25 x 25			
NF3002532	300 x 25 x 32			
NF3002550	300 x 25 x 50			
NF3005020	300 x 50 x 20			
NF3005025	300 x 50 x 25			
NF3005032	300 x 50 x 32			
NF3005050	300 x 50 x 50			

Outer Diameter:	75mm-500mm (3' - 20')	Thickness:	5mm-200 (1/5' - 8')
Grit:	P46-P3000	Abrasives:	Aluminum oxide, Silicon carbide
Inner Diameter: Nylon Tube: 18mm, 20mm, 25mm Plastic Tube: 50mm, 76mm, 100mm, 150mm Phenolphthalein Tube: 32mm, 40mm, 50mm, 76mm, 90mm, 100mm, 150mm, 200mm, 350mm Aluminum Tube: 50mm, 76mm, 143mm			
Color:	Red, Maroon, Green, Brown, Grey, White		

Other sizes are available according to customers' required

Sponge block



Item	Size (mm)	Density	Abrasives	Grit
PE956525	95*65*25	Maximum	Aluminum oxide / Silicon carbide	46#-320#
PE1007025	100*70*25			
PE1257525	125*75*25			
PE12510012	125*100*12			
PE12510010	125*100*10			
PE100704025	100*70*40*25	High	Aluminum oxide / Silicon carbide	46#-240#
PE125906625	125*90*66*25			
PH956525	95*65*25			
PH1007025	100*70*25			
PH1257525	125*75*25			
PH12510012	125*100*12	Medium	Aluminum oxide / Silicon carbide	46#-240#
PH12510010	125*100*10			
PH100704025	100*70*40*25			
PH125906625	125*90*66*25			
PM956525	95*65*25			
PM1007025	100*70*25	Low	Aluminum oxide / Silicon carbide	46#-240#
PM1257525	125*75*25			
PM12510012	125*100*12			
PM12510010	125*100*10			
PM100704025	100*70*40*25			
PM125906625	125*90*66*25	Low	Aluminum oxide / Silicon carbide	46#-240#
PL956525	95*65*25			
PL1007025	100*70*25			
PL1257525	125*75*25			
PL12510012	125*100*12			
PL1209512	120*95*12			
PL12510010	125*100*10			

Other sizes are available according to customers' required.

EVA block




Item	Size (mm)	Density	Abrasives	Grit
EH1007025	100*70*25	Soft EVA	Aluminum oxide / Silicon carbide	40#-320#
EH1257525	125*75*25			
EH12510012	125*100*12			
EH12510010	125*100*10			
EH100704025	100*70*40*25			
EH125906625	125*90*66*25	Hard EVA	Aluminum oxide / Silicon carbide	40#-320#
ES1007025	100*70*25			
ES1257525	125*75*25			
ES12510012	125*100*12			
ES1209512	125*100*10			
ES100704025	100*70*40*25			
ES12510010	125*90*66*25			

Item	Size (mm)	Density	Abrasives	Grit
EC243413	24x34x13mm	Red, Yellow, Blue, Green, Purple, Orange, White	Aluminum oxide / White aluminum	40#-240#
EC743413	74x34x13mm			
EC892926	89x29x26mm			
EC1007025	100x70x25mm			
EC12510010	125x100x10mm			
EC12510012	125x100x12mm			
EC1401155	140X115X5mm			

Other sizes are available according to customers' required.


Sanding sponge



Item	Size (mm)	Density	Grit	
			Coarse	Medium
PS12510012	125x100x12mm	Aluminum oxide / Silicon carbide		40#-240#
PS1169112	116x91x12mm			
PS1201003	120x100x3mm	Aluminum oxide / White aluminum / Silicon carbide	Fine	40#-3000#
PS1401155	140x115x5mm		Surper Fine	

Other sizes are available according to customers' required.

Rubber sanding drum



Item	Size mm (Dia. x height x handle)	Marks
RS13133	13*13*3	total length: 38mm
RS10133	10*13*3	
RS6133	6*13*3	
RS19256	19*25*6	
RS25256	25*25*6	
RS32256	32*25*6	
RS38256	38*25*6	
RS50386	50*38*6	
RS38386	38*38*6	
LS13133	13*13*3	left-hand thread
RS13506	13*50*6	
RS19506	19*50*6	
RS25506	25*50*6	
RS38506	38*50*6	



Item	Size mm (Dia. x height x handle)	Marks
CS38386	38*38*6	rubber slotted drum uncovered shank length: 35mm
CS25256	25*25*6	
CS19256	19*25*6	

Sanding pad



Item	Pad diameter (inch)	Thread size
SP25	1"	6mm Shank.
SP38	1.5"	
SP50	2"	
SP75	3"	



Item	Pad diameter (inch)	Thread size	Interface material
SQ25	1" / 25mm	M6	velcro
SQ30	1.2" / 30mm	5/16-24	
SQ38	1.5" / 38mm	1/4-20	




Item	Pad diameter (inch)	Thread size	Interface material
SQ50	2" / 50mm	M6 5/16-24	velcro
SQ75	3" / 75mm	1/4-20	



Item	Pad diameter (inch)	Thread size	Interface material
SK100	4" / 100mm	5/16-24	velcro/vinyl
SK115	4.5" / 115mm		
SK125	5" / 125mm		

Sanding pad



Item	Pad diameter (inch)	Thread size
DR100	100mm (4")	M10x1.25 M10x1.5 M14x2
DR115	115mm(4 1/2")	M10x1.5 M14x2 5/8"-11NC
DR125	125mm(5")	M14x2 5/8"-11NC M16x2
DR150	150mm(6")	M14x2 5/8"-11NC M16x2
DR180	180mm(7")	M14x2 5/8"-11NC M16x2



Item	Pad diameter (inch)	Thread size
DT100	100mm (4")	M10x1.25 M10x1.5 M14x2
DT115	115mm(4 1/2")	M10x1.5 M14x2 5/8"-11NC
DT125	125mm(5")	M14x2 5/8"-11NC M16x2
DT150	150mm(6")	M14x2 5/8"-11NC M16x2
DT180	180mm(7")	M14x2 5/8"-11NC M16x2



Item	Pad diameter (inch)	Thread size
DU100	100mm (4")	M10x1.25 M10x1.5 M14x2
DU115	115mm(4 1/2")	M10x1.5 M14x2 5/8"-11NC
DU125	125mm(5")	M14x2 5/8"-11NC M16x2
DU150	150mm(6")	M14x2 5/8"-11NC M16x2
DU180	180mm(7")	M14x2 5/8"-11NC M16x2



Item	Pad diameter (inch)	Interface material
DH75	3" /75mm	Velcro



Item	Pad diameter (inch)	Interface material
DH100	4" / 100mm	Velcro



Item	Pad diameter (inch)
DM23080	230 × 80mm
DM230105	230 × 105mm
DM130120	230 × 120mm

TOOL SETS



